Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
S11 2	8	(bit with indicator) same (instruction with counter with increment\$4)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/12/17 16:25
S11 3	2	("5960212" "6542985").pn. and (indicator same (count\$4 with (increment\$4 event)))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/12/18 12:46
S11 4	1572	((word bit field) with (increment\$3 with counter)) and (performance same (profil\$4 measur\$6 counter accelerat\$5))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR .	OFF	2007/12/18 12:49
S11 5	582	(increment\$4 with counter) and ((cache and performance) same ((threshold exceed\$4) (metric count\$3))) and ((trac43 profil\$4 schedul\$4 monitor\$4 optimiz\$4) same instruction)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/12/18 13:43
S11 6	137	S114 and S115	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/12/18 12:51
S11 7	48	S116 and ((performance with monitor\$3) (cache with load\$3)) and (increment\$4 same event)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/12/18 13:19
S11 8	48	S117 not (Dewitt.in. and @rlad>"20021022")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/12/18 12:53
S12 0	46	S116 and (@rlad<"20090930")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/12/18 12:54

S12 1	79	S116 not S120 not (Dewitt.in.)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/12/18 12:54
S12 2	74	S121 and ((auto-increment\$5) ((word indicator bit) with increment\$4))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/12/18 13:00
S12 3	45	S120 and ((auto-increment\$5) ((word indicator bit) with increment\$4))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/12/18 12:56
S12 4	68	S122 not Emulex.as.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/12/18 13:04
S12 5	0	S124 and (((operand bit byte) near6 indicator) with counter)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/12/18 13:11
S12 6	7	S124 and (((operand bit byte) near6 indicat\$3) with (increment\$4 counter))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/12/18 13:09
S12 7	1	S126 and (monitor\$4 same performance)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/12/18 13:10
S12 8	13	S120 and (monitor\$4 same performance)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/12/18 13:11

S12 9	0	S120 not S128 and (((operand bit byte field) near6 indicator) with counter)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/12/18 13:12
S13 0	14	S120 not S128 and (((operand bit byte field) near6 indicat\$3) with counter)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/12/18 13:12
S13 1	2	S128 and (((operand bit byte field) near6 indicat\$3) with counter)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/12/18 13:15
S13 2		"20040163083".pn.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/12/18 13:15
S13 3	0	S132 and (((operand bit byte field) near6 indicat\$3) with counter)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/12/18 13:19
S13 4	1	S132 and EMON	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/12/18 13:16
\$13 5	14	S120 not S128 and (((operand bit byte field) near6 indicat\$3) with counter)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/12/18 13:19
S13 6	14	S135 and ((performance with monitor\$3) (cache with load\$3))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/12/18 13:22

	I					
S13 7	4	S136 not video.ti.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/12/18 13:20
S13 8	1	S137 and (performance same measur\$5 monitor\$3)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/12/18 13:42
S13 9	32	(US-20020019930-\$ or US-20030040955-\$ or US-20020053684-\$ or US-20030154463-\$ or US-20040163083-\$).did. or (US-5960212-\$ or US-6463582-\$ or US-5835702-\$ or US-5937437-\$ or US-6862729-\$ or US-5581778-\$ or US-6134710-\$ or US-6768500-\$ or US-6446029-\$ or US-6351724-\$ or US-6233531-\$ or US-6311261-\$ or US-6163840-\$ or US-6378064-\$ or US-5754839-\$ or US-6189072-\$ or US-5752062-\$ or US-6967644-\$ or US-5752062-\$ or US-6542985-\$ or US-5802378-\$).did. or (US-3319226-\$).did. or (US-6542985-\$).did.	US-PGPUB; USPAT; USOCR; DERWENT	OR	OFF	2007/12/18 13:23
S14 0	0	S139 and (((field bit byte word) near5 indicat45) with (counter near6 increment\$3)) and (performance same (monitor\$4 measur\$5 instrument\$4 profil\$4 debugg\$3))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/12/18 13:25
S14 1	0	S139 and (((field bit byte word) near5 indicat45) with (count\$4 increment\$3)) and (performance same (monitor\$4 measur\$5 instrument\$4 profil\$4 debugg\$3))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/12/18 13:26
S14 2	0	S139 and (((field bit byte word) near5 indicat45) same (count\$4 increment\$3)) and (performance same (monitor\$4 measur\$5 instrument\$4 profil\$4 debugg\$3))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/12/18 13:43

S14	19	S139 and ((field bit byte word) with	US-PGPUB;	OR	OFF	2007/12/18 13:29
3	19	(count\$4 increment\$3)) and (performance same (monitor\$4 measur\$5 instrument\$4 profil\$4 debugg\$3))	USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB		0.1	
S14 4 	1	S143 and ((increment\$3 count\$4) near5 indicator)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/12/18 13:31
S14 5	2	S143 and ((bit field word operand byte) near5 indicator)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/12/18 13:33
S14 6	15	S143 and ((bit field word operand byte) near5 counter)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/12/18 13:33
S14 7	17	S143 and ((bit field word operand byte) near5 count\$3)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/12/18 13:40
S14 8	2625	(instruction near5 (mark\$3 tag\$3 bit)) with (profil\$3 count\$4 monitor\$4)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/12/18 13:42
S14 9	1425	S148 and (performance same measur\$5 monitor\$3)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/12/18 13:42
S15 0	810	S149 and (increment\$4 with counter) and ((threshold exceed\$4) (metric count\$3))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/12/18 13:43

	T		1			
S15 1	392	S150 and ((field bit byte word) with (count\$4 increment\$3)) and (performance same (monitor\$4 measur\$5 instrument\$4 profil\$4 debugg\$3))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/12/18 13:45
S15 2	57	S151 and (count\$4 near3 event) and (exceed\$4 near3 threshold)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/12/18 13:46
S15 3	34	S152 not (video.ab. printer.ab.)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/12/18 13:47
S15 4	17	S152 not (print\$4.ti.)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR ·	OFF	2007/12/18 13:48
S15 5	11	S154 not (ink key).ti.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/12/18 14:16
S15 6		(US-20020019930-\$ or US-20030040955-\$ or US-20020053684-\$ or US-20030154463-\$ or US-20040163083-\$).did. or (US-5960212-\$ or US-6463582-\$ or US-5835702-\$ or US-5937437-\$ or US-6862729-\$ or US-5647491-\$ or US-6134710-\$ or US-6768500-\$ or US-6233531-\$ or US-6351724-\$ or US-6233531-\$ or US-6311261-\$ or US-6163840-\$ or US-6378064-\$ or US-5754839-\$ or US-6189072-\$ or US-5752062-\$ or US-5970439-\$ or US-6598122-\$ or US-6542985-\$ or US-5802378-\$ or US-5727167-\$). did. or (US-3319226-\$).did. or (US-6542985-\$).did.	US-PGPUB; USPAT; USOCR; DERWENT	OR	OFF	2007/12/18 16:31

S15 7	14	S156 and (instruction near4 cache) and (event near8 count\$4)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/12/18 14:17
S15 . 8	64	(US-20020019930-\$ or US-20030040955-\$ or US-20020053684-\$ or US-20030154463-\$ or US-20040163083-\$).did. or (US-5960212-\$ or US-6463582-\$ or US-5835702-\$ or US-5937437-\$ or US-7065633-\$ or US-5581778-\$ or US-6862729-\$ or US-647491-\$ or US-6134710-\$ or US-5768500-\$ or US-6446029-\$ or US-6351724-\$ or US-6233531-\$ or US-6311261-\$ or US-6163840-\$ or US-6378064-\$ or US-5754839-\$ or US-6189072-\$ or US-5938760-\$ or US-6067644-\$ or US-5752062-\$ or US-5970439-\$ or US-6598122-\$ or US-6542985-\$ or US-5802378-\$ or US-5727167-\$). did. or (US-3319226-\$).did. or (US-6542985-\$).did.	US-PGPUB; USPAT; USOCR; DERWENT	OR	OFF	2007/12/18 16:32
S15 9	9	S158 and "instruction cache" and MMCR\$2	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/12/18 16:32
S16 0	33	(US-20040163083-\$ or US-20020053684-\$ or US-20030154463-\$ or US-20030040955-\$ or US-20020019930-\$).did. or (US-7065633-\$ or US-6647491-\$ or US-6862729-\$ or US-6598122-\$ or US-6542985-\$ or US-6463582-\$ or US-6446029-\$ or US-6378064-\$ or US-6311261-\$ or US-6163840-\$ or US-6311261-\$ or US-6134710-\$ or US-6189072-\$ or US-5938760-\$ or US-5970439-\$ or US-5938760-\$ or US-5970439-\$ or US-5802378-\$ or US-5937437-\$ or US-5768500-\$ or US-5727167-\$ or US-5754839-\$ or US-5752062-\$ or US-5581778-\$). did. or (US-3319226-\$).did. or (US-6542985-\$).did.	US-PGPUB; USPAT; USOCR; DERWENT	OR	OFF	2007/12/19 10:16

S16 1	15	@pd<"20020930" and "instruction cache" and MMCR\$2 and ("performance monitoring" near2 unit)	US-PGPUB; USPAT; USOCR; DERWENT	OR	OFF	2007/12/19 10:49
S16 2	0	S161 and (bundle same indicator)	US-PGPUB; USPAT; USOCR; DERWENT	OR	OFF	2007/12/19 10:19
S16 3	0	S161 and ((instruction with cache) same indicator)	US-PGPUB; USPAT; USOCR; DERWENT	OR	OFF	2007/12/19 10:19
S16 4	0	S161 and ((instruction with cache) same bit)	US-PGPUB; USPAT; USOCR; DERWENT	OR	OFF	2007/12/19 10:19
S16 5	15	S161 and ("instruction cache" with (instruction process\$3 send\$3 receiv\$3))	US-PGPUB; USPAT; USOCR; DERWENT	OR ·	OFF	2007/12/19 10:50